

CODE

**7 USP**

FILE TYPE

CREATED: CC INDESIGN ■ PRINT FORMAT : PDF

---

**HISTORY**

**STANDARD : NFPA 2112 2018**

**70 X 130MM - 2 SIDED**

**HISTORY**

15.12.17

REQUEST - COLLEEN

10/02/2022

5833 - REBRAND

---

**DIMENSIONS ■**

**CHECK MAIN ARTWORK**

**MASTER FILE LOCATION:** GRAPHICS - Location: Current:Product Range:USER SHEETS:2016-EXCEL MASTER FILES:7-USP-NFPA:7USP-0222

## INK GUIDE

**GUIDE COLOUR - DO NOT PRINT**

PROMINENT PANTONES

**BLACK**

**USER INFORMATION****NFPA 2112 2018** CERTIFIED**IMPORTANT RECOMMENDATIONS**

REF: 7USP

**NFPA 2112 2018****Important Recommendations:**

- To put on and take off garments, always fully undo the fastening systems. The clothing should be worn firmly closed.
- Only wear garments of a suitable size. Products which are either too loose or too tight will restrict movement and will not provide the optimum level of protection. The size of these products is marked on them (always read the label).
- If the clothing has an attached hood this must be worn while the wearer is working.
- Trousers or bib-overalls must be worn in combination with a suitable top.
- The insulating effect of the protective clothing will be reduced by wetness, humidity or sweat.
- Dirty clothing may lead to a reduction in protection, should at any time this garment become irrecoverably soiled or contaminated, replace the item with a new one.
- Damaged garments should not be repaired - instead replace with a new garment.
- Discarded garments should be disposed of in accordance with local waste disposal rules.
- To reduce the risk of contamination do not wash in a domestic environment
- This garment is suitable for wear during an entire working day and contains no toxic, carcinogenic, mutagenic substances nor any that can affect health adversely in any other way. No allergic reactions due to skin contact with this garment are known.
- After use, this garment is suitable for recycling using the usual channels for this.
- The manufacturer can never be held responsible for problems arising from unwarranted use, misuse or faulty maintenance.
- Changes to clothing after purchase (e.g. by applying logos) are not permitted.
- Prior to performing work associated with certain risks, you should always consult your safety officer or line manager regarding the appropriate personal protective equipment.
- The clothing should be cleaned regularly according to the instructions, since dirt reduces the protective effects. See the relevant label sewn into the clothing for the correct instructions as to washing and maintenance.
- Note there is no warranty offered on this product.
- Before using the garment, wearers should ensure they are familiar with the NFPA 2113 guidelines and ensure to follow same.
- Garments should be inspected for defects or soiling by the wearer before donning.
- Do not remove or deface any of the labels or markings on this garment.

**Available Size & Selection:**

Fit according to correct chest and waist size, refer to size chart. These garments have built in allowance for comfort and to allow the garment to be worn over medium bulky clothing. To obtain overall protection, the wearer may need to wear appropriate gloves, boots and or safety helmet.

**Storage:**

DO NOT store in places subject to direct or strong sunlight. Store in clean, dry conditions.

**After-care:**

Do not remove or deface any of the labels or markings on this garment.

The manufacturer will not accept liability for garments where care labels have been ignored, defaced or removed.










**Content Label:**

Refer to garment label for corresponding content details.

**Warning:**

Where there is a hood, peripheral vision and hearing may be impaired


**Wash Care Labels :** Refer to garment label for corresponding washing details.

 Max temp 30°C, mild process	 Line dry	<b>MAX</b> Maximum
 Max temp 40°C, mild process	 Drip line dry	<b>50x</b> 50 Washes
 Max temp 40°C, normal process	 Do not iron	<b>MAX</b> Maximum
 Max temp 60°C, normal process	 Iron max 110°C	<b>25x</b> 25 Washes
 Do Not Bleach	 Iron max 150°C	<b>MAX</b> Maximum
 Do not tumble dry	 Do not dry clean	<b>12x</b> 12 Washes
 Tumble dry low	 Professional dry clean	<b>MAX</b> Maximum
 Tumble dry normal		<b>5x</b> 5 Washes

**SIZING GUIDE**

	A	D
	CM	CM
SHORT	152-164	74
REG	164-176	79
TALL	176-188	84
X TALL	188-202	92

	B	INCHES	CM	EURO
XS		32"-34"	80-88	40-44
S		36"-38"	92-96	46-48
M		40"-41"	100-104	50-52
L		42"-44"	108-112	54-56
XL		46"-48"	116-124	58-62
XXL		50"-52"	128-132	64-66
3XL		54"-55"	136-140	68-70
4XL		56"-58"	144-148	72-74
5XL		60"-64"	152-160	76-80



	C	INCHES	CM	DE	FR
XS		26-28	68-72	42-44	34-36
S		30-32	76-80	46-48	38-40
M		33-34	84-88	50	42-44
L		36-38	92-96	52-54	46-48
XL		40-41	100-104	56	50-52
XXL		42-44	108-112	58-60	54-56
3XL		46-47	116-120	62	58-60
4XL		48-50	124-128	64-68	62-64

**MANUFACTURER: PORTWEST LIMITED, Westport, Co Mayo, Ireland.**